

Product Datasheet model i-works 9194.885

UVEX ARBEITSSCHUTZ GMBH, Würzburger Str. 181-189,
D-90766 Fürth

**Product
characteristics**

- safety spectacles with a sporty design: attractive appearance and robust quality
- metal-free
- uvex supravision coating technology
- duo component technology which combines hard and soft components, soft grip side arms, deliver non-slip fit without pressure points
- low profile side arms with practical hang cord attachment option
- can be easily combined with other PPE
- suitable for the uvex helmet IES
- suitable for construction applications

Technical details**Frame**

Material
Colour

Front piece

TPU
black

Material
Colour

Temples
TPU / TPE
black-grey

Manufacturer's ID
code
Applicable EN norm
Low-energy impact
Resistance to high
speed particles at
extremes of
temperat.
Conformity symbol

Marking
W

166
F (45 m/s)
T

CE

Lens

Material
Thickness
Coating
Colour
UV protection

PC
2,2 mm
Antifog coating on the inside
silvermirror grey
UV 400

Filter
Manufacturer's ID

Marking
5-1,7 (DIN EN 172)
W

code	
Optical class	1
Low-energy impact	F (45 m/s)
Resistance to high speed particles at extremes of temperat.	T
Antifog	N
Conformity symbol	CE
Miscellaneous	
Weight	28 g
Packing	5 spectacles per box 160 spectacles per cardboard box
Standards	DIN EN 166 + DIN EN 172
PPE Category	Category II